

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	B R S	L1	5321	((bootstrap 'boot') NEAR2 (routine program operation algorithm))	USPAT ; US-PG PUB; EPO; JPO; DERWE NT; IBM_T DB	2004/01/08 23:57
2	B R S	L2	26	1 SAME ((download\$3 updat\$3 upgrad\$3) NEAR3 (program system application)) SAME (failure 're-boot' incomplete missing lost 'not-delivered' corrupt\$3 're-transmission'))	USPAT ; US-PG PUB; EPO; JPO; DERWE NT; IBM_T DB	2004/01/08 23:57
3	B R S	L3	10	2 AND ((@ad <= "19970414") or (@rlad <= "19970414"))	USPAT ; US-PG PUB; EPO; JPO; DERWE NT; IBM_T DB	2004/01/09 01:43
4	B R S	L4	7151	((bootstrap 'boot') NEAR4 (routine program operation algorithm))	USPAT ; US-PG PUB; EPO; JPO; DERWE NT; IBM_T DB	2004/01/08 23:57

	Type	L #	Hits	Search Text	DBs	Time Stamp
5	B R S	L5	1078	1 AND ((download\$3 updat\$3 upgrad\$3) NEAR4 (program system application)) AND (failure 're-boot' incomplete missing lost 'not-delivered' corrupt\$3 're-transmission'))	USPAT ; US-PG PUB; EPO; JPO; DERWE NT; IBM_T DB	2004/01/09 01:51
6	B R S	L6	517	5 AND ((@ad <= "19970414") or (@rlad <= "19970414"))	USPAT ; US-PG PUB; EPO; JPO; DERWE NT; IBM_T DB	2004/01/08 23:59
7	B R S	L7	202	1 AND (((download\$3 updat\$3 upgrad\$3) NEAR4 (program system application)) SAME (failure 're-boot' incomplete missing lost 'not-delivered' corrupt\$3 're-transmission')))	USPAT ; US-PG PUB; EPO; JPO; DERWE NT; IBM_T DB	2004/01/09 00:22
8	B R S	L8	77	7 AND ((@ad <= "19970414") or (@rlad <= "19970414"))	USPAT ; US-PG PUB; EPO; JPO; DERWE NT; IBM_T DB	2004/01/09 00:22

	Type	L #	Hits	Search Text	DBs	Time Stamp
9	B R S	L9	2804	713/1 713/2	USPAT ; US-PG PUB; EPO; JPO; DERWE NT; IBM_T DB	2004/01/09 00:20
10	B R S	L10	150	9 AND (((download\$3 updat\$3 upgrad\$3) NEAR4 (program system application)) SAME (failure 're-boot' incomplete missing lost 'not-delivered' corrupt\$3 're-transmission'))	USPAT ; US-PG PUB; EPO; JPO; DERWE NT; IBM_T DB	2004/01/09 00:22
11	B R S	L11	42	10 AND ((@ad <= "19970414") or (@rlad <= "19970414"))	USPAT ; US-PG PUB; EPO; JPO; DERWE NT; IBM_T DB	2004/01/09 00:22
12	B R S	L12	7	"6141698"	USPAT ; US-PG PUB; EPO; JPO; DERWE NT; IBM_T DB	2004/01/09 01:50

	Type	L #	Hits	Search Text	DBs	Time Stamp
13	B R S	L13	22	("5005122" "5337357" "5390297" "5530752" "5553143" "5592549" "5708709" "5710887" "5724424" "5757908" "5758068" "5758069" "5778173" "5794259" "5805802" "5845070" "5895454" "5897622" "5898777" "5909492" "5918213" "5940807") .PN.	USPAT	2004/01/09 01:46
14	B R S	L14	10	6073124.URPN.	USPAT	2004/01/09 01:48

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	B R S	L1	1173	717/168-178.ccls.	USPAT; US-PGPUB	2004/01/09 11:40
2	B R S	L2	106	1 AND (((download\$3 updat\$3 upgrad\$3) NEAR4 (program system application)) SAME (failure 're-boot' incomplete missing lost 'not-delivered' corrupt\$3 're-transmission'))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 13:40
3	B R S	L3	32	2 AND ((@ad <= "19970414") or (@rlad <= "19970414"))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 13:40
4	B R S	L4	179	725/35	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 11:53
5	B R S	L5	65	4 AND ((@ad <= "19980707") or (@rlad <= "19980707"))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 11:54
6	B R S	L6	2802	713/1 713/2	USPAT; US-PGPUB	2004/01/09 13:39
7	B R S	L7	150	6 AND (((download\$3 updat\$3 upgrad\$3) NEAR4 (program system application)) SAME (failure 're-boot' incomplete missing lost 'not-delivered' corrupt\$3 're-transmission'))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 13:42

	Type	L #	Hits	Search Text	DBs	Time Stamp
8	B R S	L8	42	7 AND ((@ad <= "19970414") or (@rlad <= "19970414"))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 13:42
9	B R S	L9	14044 7	(bootstrap initial\$3 boot 'boot-up') NEAR4 (routine program\$4 algorithm process method software code)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 13:42
10	B R S	L10	970	9 AND (((download\$3 updat\$3 upgrad\$3) NEAR4 (program system application)) SAME (failure 're-boot' incomplete missing lost 'not-delivered' corrupt\$3 're-transmission'))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 13:43
11	B R S	L11	416	10 AND ((@ad <= "19970414") or (@rlad <= "19970414"))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 13:46
12	B R S	L12	23	9 AND (((automatic\$5 'without user intervention' 'pre-set') NEAR4(download\$3 updat\$3 upgrad\$3) NEAR4 (program system application)) SAME (failure 're-boot' incomplete missing lost 'not-delivered' corrupt\$3 're-transmission'))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 13:44

	Type	L #	Hits	Search Text	DBs	Time Stamp
13	B R S	L13	104	((automatic\$5 'without user intervention' 'pre-set') WITH ((download\$3 updat\$3 upgrad\$3) NEAR4 (program system application))) SAME (failure 're-boot' incomplete missing lost 'not-delivered' corrupt\$3 're-transmission')	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 13:46
14	B R S	L14	31	9 AND 13	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 13:46
15	B R S	L15	16	14 AND ((@ad <= "19970414") or (@rlad <= "19970414"))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 13:46